



### **SB 2610 EIFS Acid Cleaner**

SB 2610 EIFS Acid Cleaner is an alternative to SB 2600 EIFScrub for the removal of oxidized surface material and other contaminants that may not be removed by the SB 2600. If the EIFS has stains caused by acid rain or rundown from cementitious masonry or mortar above, then SB 2610 would be the preferred choice. SB 2610 should be considered as the preparation cleaner for the application of a new color coat or for the application of SB 2650 EIFS Protective Clear Coat. SB 2610 is a highly formulated detergent composition designed to emulsify oily soils in acidic conditions. A blend of inhibited acids helps in the removal of inorganic contaminants. Unlike typical masonry and restoration cleaners the emphasis is on the wetting and detergency aspects and not on a high acid content.

#### **Preparation**

Provide protection for all pedestrian and vehicle entrances and any air intake openings such as air conditioning or air circulation vents. Take precautions to avoid drift onto adjacent structures and vegetation. Conduct tests to determine the dilution ratio required for each project and conditions.

#### **Dilution and Coverage**

Dilution: 1 to 3 parts water to 1 part product -- test application recommended

Coverage: Dependent upon substrate and other conditions

#### **Application**

Low-pressure spray application will work best in most applications. Some agitation may be required on stubborn stains or deposits. Removal of the cleaner and contamination can be accomplished with pressure rinsing equipment or a garden hose. Care should be taken in the selection of water pressure and the wand tip angle to avoid damage to the EIFS surface. Most manufacturers recommend 600 psi or less with a tip angle of 45 degrees held about a foot from the surface. Care must be exercised in the pressure cleaning to avoid damage to the EIFS surface.

SB 2610 is for use by professional contractors only. Projects should not be undertaken when temperatures are below 40 degrees F. Do not allow the cleaner to dry on the surface. Pressure rinsing equipment equipped with laser or other pressure increasing nozzles are not to be used with this cleaner. NOTE: ShoreBest EIFS products are intended for use on EIFS applications over masonry backup only. Applications to EIFS applied over wood or metal studs are at the contractors own risk.

#### **Technical Data**

Appearance: Clear Liquid	pH: <1 in Concentrate
Biodegradable: Yes	Rinsing: Complete
Flash Point: None	Solubility: 100%
Foaming: NA	Stability: Good
Odor: Mild Citrus	Wetting Ability: Excellent

#### **Safety**

Causes severe skin burns and eye damage. Causes serious eye damage.



**DANGER**

Refer to product SDS or product label for hazard statements, precautionary statements and safety information

#### **Warranty**

Shore Corporation warrants that this product conforms to the chemical composition described in the Product Label. SHORE CORPORATION EXPRESSLY DISCLAIMS ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Shore Corporation shall not be responsible for any direct or consequential damages sustained as a result of the use of this product. Further, Shore Corporation shall not be liable for personal injuries, property damage or any other damages as a result of the use of this product, the sole responsibility of Shore Corporation under the within WARRANTY being the replacement of any nonconforming product. Acceptance and use of this product absolves Shore Corporation from any other such liability whatsoever and from whatever source. The within WARRANTY may not be modified or extended by Shore Corporation representatives or distributors, neither of which are empowered to make any product representation inconsistent with the terms hereof.

#### **Contact**

Trained representatives are available to assist with project assistance and product recommendations. Call **412/471-3330**.